

MF Mowers, MF Rakes & MF Tedders

SEY FEAGUSON S 7738

Product Range - 2020

FROM MASSEY FERGUSON

MF Hay Tools & Forage

Based on experience, innovation and passion.

MF Hay Tools & Forage

Massey Ferguson has always stood for innovative technology, outstanding quality and a personal passion for the service of agriculture. We offer our customers around the world an extremely wide range of products in terms of Mowers, Conditioners, Tedders and Rakes.

Through close contact with farmers and agricultural contractors, our machines are constantly undergoing further development to enhance their performance, efficiency and quality. In this way, even the most diverse markets can benefit from these ongoing improvements. Massey Ferguson's objective is to provide every customer with the optimum solution for their farming requirements.



MACHINE TYPES:

Μ	Drum mower	
DM	Disc mower	
LMC	Linkage mounted	
	conditioner	
RK	Rake	
TD	Tedder	

Some machines available in selected countries only. The right to technical revision is reserved.

EQUIPMENT	VARIANTS :
-----------	-------------------

DN	Three point linkage with floating headstock
DSR	Three point linkage with rigid headstock
EC	Economy
EL	ISOBUS control
FP	Front mounted with pivoting headstock
FP-K	Front mounted pivoting headstock close coupled
FP-S	Front mounted pivoting headstock with side shift
FQ	Front mounted with 3 dimensional ground adapta
FZ	Front mounted with trailing linkage
HS	High spec
ISL	Spur gear drive without inner drive shoe
KC	Tine rotor conditioner
KCB	Tine rotor conditioner with belt conveyor
Р	Paired running
PRO	Professional
RC	Roller conditioner
SD	Side delivery
SL	Powered swath drums
TD X	Tedder hook tine
TL	TurboLift system
TL-V	TurboLift Vertical fold
TR	Trailed unit
TRC	Trailed with transport chassis









MF Drum Mowers

Machine designation	Working width (m)	Number of cutting discs	Additional equipment variants
Front mounted, pivot	ing headstock		
MF M 294 FP-V	2.86	4	-
MF M 304 FP-V	3.06	4	_
	0.00		



Front mounted, trailing linkage				
MF M 304 FZ	3.06	4	-	



Rear mounted, side attachment			
MF M 182	1.85	2	KC
MF M 222	2.20	2	KC



Rear mounted, centre a	ittachment		
MF M 304 TL	3.06	4	-

MF Disc Mowers

.masseyferguson.com	
www.maa	

04

Machine designation	Working width (m)	Number of mower discs	Additional equipment variants
---------------------	----------------------	-----------------------	-------------------------------------

	Spur gear drive, rear mounted with inner drive shoe				
	Spur gear unve, rear in	iountea with inner	urive shoe		
F	MF DM 164	1.66	4	-	
	MF DM 205	2.06	5	-	
	MF DM 246	2.42	6	-	
	MF DM 287	2.82	7	-	



MF DM 254 FP

MF DM 254 FK

Machine designation	Working width (m)	Number of mower discs	Additional equipment variants
Compact angle drive f	ront mounted alpi	ne A	-

2.50

2.50

4

FP-S

FK-S



	Spur gear drive, rear mounted without inner drive shoe			
F	MF DM 246 ISL	2.42	6	-
	MF DM 287 ISL	2.82	7	-



	Compact angle drive, f	ront mounted wit	h pivoting headst	ock
P	MF DM 306 FP	3.00	6	KC/RC
	MF DM 306 FP-K	3.00	6	KC
	MF DM 306 FP-SL	3.00	6	KC



Compact angle drive, rear mounted, side attachment							
P	MF DM 204	2.05	4	KC/RC			
	MF DM 255-P	2.55	5	KC/RC			
	MF DM 306-P	3.00	6	KC			
	MF DM 357-P	3.50	7	-			



Compact angle drive, f	ront mounted wit	h trailing linkage	
P MF DM 306 FZ	3.00	6	KC/RC



	Compact angle drive, r	ear mounted, cen	tre attachment	
P	MF DM 408 TL	4.00	8	-
	MF DM 459 TL	4.50	9	-







	Rear mounted, centre a	attachment, vertio	cal fold	
P	MF DM 265 TL-V	2.60	5	KC/RC
	MF DM 316 TL-V	3.10	6	KC/RC
	MF DM 367 TL-V	3.60	7	KC/RC



Compact angle drive,	trailed, with centre	e support	
MF DM 306 TR	3.00	6	KC/RC
MF DM 357 HS TR	3.50	7	KC/RC



tion		
8.30	2x6	KC/RC
9.30	2x7	KC
	8.30 9.30	8.30 2x6



Mower conditioner combination with ISOBUS control system and belt transfer system							
Р	MF DM 9314 EL TL-KCB	9.30	2 x 7	-			




MF Tedders



Three-point linkage, al	lpine		
Machine designation	(m)	rotors	per rotor

Working width



Number of

Tine arme



Three-point linkage					
MF TD 454 DN	4.50	4	6		
MF TD 524 DN	5.20	4	6		
MF TD 676 DN	6.60	6	6		
MF TD 776 DN	7.70	6	6		
MF TD 868 DN	8.60	8	6		
MF TD 1110 DN	10.70	10	6		





Т

ransport chassis							
MF TD 776 TRC	7.70	6	6				
MF TD 868 TRC	8.60	8	6				
MF TD 1008 TRC	10.20	8	6				
MF TD 1310 TRC	12.70	10	6				



Trailed

	Italieu				
	MF TD 1008 TR HYDRO	10.20	8	6	
7.	MF TD 1310 TR HYDRO	12.70	10	6	



TD X Series high capacity with hook tines

	,		
MF TD 776 X DN	7.70	6	6
MF TD 1028 X TRC	10.20	8	7
MF TD 1310 X TRC	12.50	10	7



MF Conditioners



Machine designation	Working width (m)
MF LMC 170 D	1.73
MF LMC 180 D	1.82

MF Rakes

	Machine designation	Working width (m)	Number of rotors	Tine arms per rotor/ Double tines per arm
	Two-rotor rake, side swath delivery			
	MF RK 702 TR-SDX	6.30/7.00	2	12-4
	MF RK 662 SD-TRC	5.75/6.65	2	10/12-4
	MF RK 772 SD-TRC	6.60/7.70	2	12-4/5
1	MF RK 842 SD-TRC	7.80/8.40	2	13-4/5
	MF RK 842 SD-TRC PRO	7.80/8.40	2	13-4/5

MF Rakes

MF RK 451 TR



Single-rotor rake, three-point linkage, rigid headstock, alpine MF RK 361 DSR

10-3 3.60 1

1

12-4



Single-rotor rake, three-point linkage floating headstock MF RK 341 DN 3.40 8-3 MF RK 361 DN 3.60 1 10-4 10-4 MF RK 381 DN 3.80 1 MF RK 391 DN 3.90 10-4 1 4.20 12-4 MF RK 421 DN 4.50 12-4 MF RK 451 DN 1

4.50

Single-rotor rake, tractor linkage drawbar/hitch





Two-rotor rake, centre swath delivery			
MF RK 662 TRC	5.80-6.60	2	10-4
MF RK 762 TRC	6.80-7.60	2	12-4
MF RK 802 TRC	7.20-8.00	2	12-4
MF RK 802 TRC PRO	7.20-8.00	2	12-4
MF RK 1002 TRC	8.80-10.00	2	15-5
MF RK 1002 TRC PRO	8.80-10.00	2	15-5

М

Four-rotor rake, centre swath delivery			
MF RK 1254 TRC EC	12.50	4	12-4
MF RK 1254 TRC	12.50	4	12-4
MF RK 1254 TRC PRO	12.50	4	12-4
MF RK 1404 TRC PRO	14.00	4	13-4/5



06

Customer Support

Dedicated service and dynamic support

Parts and Service

It's all about a lifetime of support

Buying, owning and maintaining high-spec' machinery can be complex, so having absolute peace of mind that you have great back-up and support is a hugely important consideration. As a Massey Ferguson customer you are assured of personalised, responsive and friendly support from our network of expert dealers who truly understand your business.

There's no cut-off time for Parts and Service because a machine may be out of service. We're available to you throughout your ownership of your Massey Ferguson machine.

We take great pride and responsibility in every machine we sell and we make it our mission to keep your machinery running reliably, every time you turn the key.



Maintain the perfect cut and versatile performance in the field.

Don't compromise your Massey Ferguson implement's performance. Ensure you only use Genuine Massey Ferguson replacement parts and accessory kits.

For more information on our range of Genuine Accessories, make sure you ask about our new implements accessories brochure.







Illustrations show some of the special equipment. Some machines available in selected countries only. The images provided do not necessarily correspond to the most recent version of standard equipment.

MASSEY FERGUSON

A world of experience. Working with you.



Web: www.MasseyFerguson.com Facebook: www.Facebook.com/MasseyFergusonGlobal Twitter: Twitter.com/MF_EAME Instagram: Instagram.com/MasseyFergusonGlobal YouTube: www.YouTube.com/MasseyFergusonGlobal Blog: Blog.MasseyFerguson.com





Responsible forest management