

MF 4700 M

82-100 HP

STRAIGHTFORWARD
EFFICIENCY



MASSEY FERGUSON



MF 4700 M

SETTING NEW STANDARDS FOR STRAIGHTFORWARD EFFICIENCY

“Thinking about farmers and their evolving challenges, we have developed new straightforward, dependable machines, to ensure your work gets done efficiently and with ease.”



Equipped with the most modern technology, the MF 4700 M tractors deliver straightforward and dependable operation. With the perfect combination of specifications, comfort and pragmatic technology they enable you to get your work done efficiently and cost effectively.

Massey Ferguson takes pride in developing innovative and practical machines to meet the continuing challenges of sustainable farming.


The MF 4700 M Series is designed specifically to offer the right level of technology, comfort and performance for all types of farming operations across the world.

With its simple - yet high performance - design, with efficient drivelines and high level of comfort, these new series really bring exceptional value for money for any sector!




06

LIVE FOR COMFORT



12

EFFICIENT POWER TO TACKLE ANY TASK



14

DRIVELINE: INSPIRED ENGINEERING



20

POWER ANY IMPLEMENT



THE PERFECT LOADER PARTNER

24

- Your MF 4700 M at a glance 4
- Live for comfort – the cab environment 6
- Cab version 10
- Platform version 11
- The power to tackle any job 12
- Driveline: inspired engineering 14
- 12x12 transmission 16
- Dyna-2 transmission 18
- Power any implement 20
- Hydraulics 22
- Operate your loader the Massey Ferguson way 24
- Made to maximise uptime 26
- Parts & service 28
- Make the MF 4700 M as individual as your farm – Options & Specifications 32

YOUR MF 4700 M AT A GLANCE

Specifically developed for the highly demanding, multi-purpose 82 hp to 100 hp tractor sector, these versatile workhorses are ideally suited to a wide range of operations.

Combining convenience, comfort and straightforward ease of use with rugged engineering, these modern tractors deliver dependable cost-effective performance.

As well as being the perfect loader partner, they have the power and features to also excel in the fields with automated functions easing the workload for operators and increasing performance.

WITH THREE MODELS TO CHOOSE FROM, THIS IS ONE OF THE BEST CHOICES THAT YOU WILL MAKE.

| | MF 4708 M | MF 4709 M | MF 4710 M |
|------------------------------|--|-----------|-----------|
| Engine | AGCO Power – Stage V – All-in-One technology | | |
| Engine capacity | 3 cylinder, 3.3 litre | | |
| Transmission | 12x12 or Dyna-2 | | |
| Max power @ 2,000 rpm (hp) | 85 | 92 | 100 |
| Rated power @ 2,200 rpm (hp) | 82 | 91 | 97 |
| Max torque @ 1,500 rpm (Nm) | 350 | 355 | 368 |



Loader specialist

- ▶ With their high output hydraulics and choice of shuttle transmissions, the MF 4700 M Series tractors are the perfect loader partners. All can be equipped with a factory-fitted loader sub-frame for easy mounting of the exclusively designed MF FL or FLX Series loader range, as well as perfect overhead visibility from the Visio Roof option.

Low operating costs

- ▶ 'All-in-One Stage V' SCR system cuts ownership costs and improves visibility
- ▶ Easy access for routine servicing
 - ▶ MF Care Repair and maintenance contracts schemes.

Superb transmission choice

- ▶ Modern, cost effective mechanical 12 x 12 transmission transmits power effectively and efficiently, helping to save fuel
- ▶ New 24 x 24 Dyna-2 transmission with Powershuttle and Speedmatching provides push-button control of two powershift steps.

Spacious, comfortable and ergonomic workplace

- ▶ Whether its equipped with cab or platform, the MF 4700 M Series offers operators the expected comfort and ease of use
- ▶ The cab delivers excellent comfort and control, offering sector-leading space with an unrivalled pillar-to-pillar width of 1,300 mm. Air conditioning is optional
- ▶ Platform models provide the spacious workplace, along with the same level of control

High capacity, efficient hydraulics

- ▶ The robust and versatile MF 4700 M Series delivers the hydraulic flow and lift capacity to handle and operate a wide range of modern implements and equipment.

Handle modern implements with ease

- ▶ With a maximum lift capacity of up to 3,000 kg

VIRTUAL REALITY



USE YOUR SMART PHONE TO STEP INSIDE THE MF 4700 M



STEP 1
Use a QR code reader app. Download it for free from iTunes or the Android Play store.



STEP 2
Open the app and scan this QR code...



STEP 3
...and step inside your Massey Ferguson tractor.

Live the eXperience in 2D, moving your smartphone around in all directions or using your fingers.



STEP 4
Live the full VR 3D Experience by clicking on the dedicated icon and use in combination with a pair of VR glasses.



LIVE FOR COMFORT

Sector-leading standards of comfort and ergonomics along with ultimate all-round visibility.

SECTOR LEADING SPACE, COMFORT AND CONTROL

Safe, easy access up steps lead to the platform or into the cab through wide-opening doors. The most spacious operator environment in the sector, it has a pillar-to-pillar width of 1,300 mm and a low transmission tunnel and pendant, car-style pedals, providing plenty of floor space.

Superb visibility is enhanced by the slim bonnet as well as the Visio Roof option. Sitting comfortably, operators will find the ergonomically designed layout ensures ease of use with straightforward operation from features seldom found in this tractor sector. With its modern design, the MF 4700 M provides high levels of control and automation with electro-hydraulic activation of the four-wheel drive and the diff-locks. A new optional automatic battery isolator operates automatically when the tractor is switched off.



1.3m

pillar to pillar width to enjoy all the space you need during long working days.



VISIBILITY

to provide safety, ease of operation and control on the job in hand.



BEST IN CLASS ERGONOMICS

All controls are at your fingertips, providing precise and efficient performance.

YOU CHOOSE CAB COMFORT

All MF 4700 M tractors, 2WD or 4WD, are available with a completely new cab designed and built by Massey Ferguson. Equipped to a high specification, offering a low level of noise and including optional* air-conditioning, the ergonomic design provides straightforward operation from features seldom found in this tractor sector.

There is excellent visibility to the front, over the slim bonnet, thanks to the compact 'All-in-One' SCR system seated below the cab and not the bonnet. There is also a great view to the side through glass to floor doors and curved quarter windows.

The controls are thoughtfully arranged on the right-hand side console, while the gear and the range levers are neatly positioned. A totally new dashboard is further improved, including several important features and new icons for the Stage V, the two-speed Powershift as well as the Brake-To-Neutral.

To ensure you are sitting comfortably during long working days, you have the choice between two seats. A new powerful worklight option helps keep you going, in comfort, when long days turn into long nights.

*depending on markets



YOU CHOOSE PRACTICAL PLATFORM

Further enhancing versatility, for every farmer for all types of applications, the MF 4700 M Series is also available in Platform versions with 2WD or 4WD, providing operators with the benefit of the same specifications as found on the cab models. Offering easy access, all controls are ergonomically and logically laid out on the right-hand console, with everything falling easily to hand.

Operator comfort is enhanced with sound and vibration absorbing rubber matting on the platform area, noise reflecting glass panels either side of the instrument console and a mechanically suspended deep cushioned, weatherproof seat.

Moreover, it's simple and easy to fold the roll bar to help users access low, traditional buildings, work in confined spaces and make more productive use of small, previously difficult to access areas, such as greenhouses and orchards.




CAB VERSION

Comfort and convenience are top priorities for all operators spending long working days in the cab.

The new MF 4700 M offers the right combination of specifications and comfort for farmers looking to get work done efficiently.

You can tailor your tractor to suit your specific needs, with the clever and ergonomic design of 12x12 models, or with genuinely output enhancing options such as the new Dyna-2 Powershift transmission with Speedmatching.



The Advanced Dashboard displays engine and PTO speeds, service intervals, fuel consumption, distance travelled, area worked, oil temperature and tractor hours, engine memorised speed and service information.

Easy shuttling
Available with both transmissions, the Power Shuttle lever allows clutching and shuttling at your fingertips with Comfort Control allowing you to set shuttling aggressiveness at your convenience.

Simple shifting
In the 12x12 models, shifting gear is now as smooth as in your car. With the Dyna-2 powershift changes are made using a new thumb button on the side of the gear knob. Just below this is another button providing fingertip control of the clutch. Powershift speeds can also be changed with a rocker switch on the right-hand console.

Loader joystick
Optional integrated mechanical loader joystick.

Spool valves
Up to three valves to cover most of the applications

Hand throttle

Engine memorised speed

Differential lock and 4 wheel drive switches

PTO activation switch


Linkage depth control

Electronic linkage control

All in the right place
The right-hand pillar houses less frequently used switches such as work lights, the rear windscreen wiper, the ELC panel and the ignition key.

PLATFORM VERSION

Developed to deliver practical features along with comfort and ease of use, the MF 4708 M and MF 4709 M platform models make hard work a pleasure. Grab rails and wide steps offer safe and easy access to the spacious workplace, with car style pedals providing plenty of floorspace. A clever, modern combination of familiar, easy to use levers with electronic precision provides accurate three-point linkage control. Levers, close to the right of the seat, look like a standard quadrant, but provide simple and responsive electronic operation. There are separate levers for position and draft control with the linkage response proportional to the speed they are moved. An intermix lever sets the difference between the amount of draft and position response in the settings. Foldable ROPS protection is standard.



Modern Dashboard
A mix of digital and analogue displays provide you with all the information you need at a glance.

Hand throttle

GEAR LEVER
Conveniently positioned for ease of use. Six speed full synchromesh gear box.

Rear fender width can be adjusted to match tyre dimensions.

Electronic 4WD and PTO activation

Pendant pedals for clutch and brake. For excellent comfort and low pedal effort

3rd valve available as an option through AGCO Parts



Electronically-operated rear linkage switch

Optional Power Control Lever with Comfort Control

THE POWER TO TACKLE ANY TASK

Renowned for its reliability and fuel economy, the rugged 3.3 litre AGCO Power three-cylinder engine, which is at the heart of the MF 4700 M Series, delivers 82 to 100 hp.

With both tractor and engine coming from the same manufacturer, you can be certain they are built to the highest manufacturing quality standards. Designed to work together, they offer unsurpassed compatibility and efficiency.




“ALL-IN-ONE” SCR TECHNOLOGY

Easy maintenance, SCR technology cuts down time and costs.

COMMON RAIL FUEL SYSTEM

State of the art common rail fuel system offers optimised injection pressures even at low engine speeds, higher temperatures also mean no need for a DPF filter.



ADBLUE® TANK*

The AdBlue® tank can be filled with ease.

FRUGAL ON FUEL LOW ON NOISE



All MF 4700 M Series tractors comply with the strict Stage V emission regulations by employing Massey Ferguson's award-winning 'All-in-One' system, which now includes a straightforward 'soot catalyst'.

Thanks to its mounting position beneath the cab or

platform, the All-In-One system helps maintain the tractor's excellent visibility.


These quiet and economical engines deliver excellent performance with high levels of torque across a broad speed range, with maximum torque achieved at low engine speeds.

DRIVELINE INSPIRED ENGINEERING

A choice of well-proven, reliable and efficient transmissions delivers complete control for every task.

The modern, highly efficient 12x12 gearbox with a choice of shuttle is easy to use.

Alternatively, the new 24x24-speed Dyna-2, with Speedmatching and Powershuttle offers effortless operation with push-button control of two powershift steps.



12x12 & Dyna-2 transmission (available for all 4WD models).
Modern and cost effective transmission, low power absorption giving great efficiency and excellent fuel savings. Under pressure gearbox lubrication reduces drag and friction.

Straight through design minimises power loss to maximise performance and economy

Hydraulic PTO clutch ensures simple operation and long life

Electro hydraulic diff lock engagement. Easy activation in every condition

Full Independent PTO

Heavy duty rear linkage with ELC (Electronic Linkage Control) ensures safe and reliable operation of the heaviest implements

A standard MecaShuttle makes it simple to change direction, while the optional Powershuttle provides fingertip control for forward and reverse shifting, without using the clutch pedal.

12F/12R speed gearbox with six gears and 24F/24R Dyna-2 with six gears in two powershift ratios

Exceptionally strong rear axle with heavy duty epicyclics guarantees reliable operation even under the severest loads

Full reverse shuttle gearbox with the choice of mechanical or hydraulic operation for 12x12 transmission

12x12 TRANSMISSION

EASY OPERATION WITH HIGH EFFICIENCY


The MF 4700 M Series tractors feature a modern and cost-effective mechanical transmission, which transmits power efficiently, helping to save fuel.



40 km/h Normal Max Speed
 16.9-30 Rear tyres
 6 gears in main field range
 From 4 to 12 km/h




This **synchronised transmission** provides a total of twelve forward and twelve reverse speeds courtesy of two ranges. Six gears are within the 7-15 km/h typical fieldwork range, while maximum speed is 40 km/h.



A **standard mechanical shuttle** makes it simple to change direction, while the **optional Powershuttle** provides fingertip control for forward and reverse shifting, without using the clutch pedal. Gears are changed smoothly with levers positioned neatly within easy reach of the driver's hand but without causing an obstruction.

The **Comfort Control** dial enables the rate of clutch engagement to be adjusted to suit different circumstances.



A **Super Creeper option** is also available to provide the slowest working speeds, down to 100 m/h* (at 1,400 rpm with 16.9R34 tyres), to suit all tasks.

Activating the **Brake-to-Neutral function** simultaneously operates the clutch as soon as the brake pedal is pressed.


Hydraulic assistance and pendant style pedals provide slick and easy changing, making gear shifting as smooth as in any modern car.

DYNA-2 TRANSMISSION

UNRIVALLED PRODUCTIVITY

Developed specifically for below 100hp tractors Dyna-2 is a totally new transmission option. Available for all 4WD models in the MF 4700 M Series, it offers further choice and versatility allowing users to tailor their tractor to match their specific applications.

Dyna-2 provides completely clutchless shifting of 24 forward and 24 reverse speeds, which you can operate from buttons on the gear lever. With 11 speeds in the working range, Dyna-2 improves performance for a range of field operations.





*40 km/h eco

The standard **ECO transmission** achieves the maximum speed of 40 km/h at 1,850 rpm, offering quiet and fuel-efficient operations.

Dyna-2 powershift changes are made using a new thumb button on the side of the gear knob. Just below this, another button provides fingertip control of the clutch, making it easy to always select the right speed increasing productivity.

Powershift speeds can also be changed with a rocker switch, conveniently mounted on the right-hand console. This is easy to use when the hand is not on the gear lever - for example when reversing.



Precise control for specialist low-speed tasks is assured with **optional creeper gears**, enabling forward speeds as low as 100 m/h to be achieved.



The exclusive **Powershuttle lever** provides convenient three in-one, straightforward operation. Operators can shuttle between forward/reverse or select neutral, leaving the right-hand free to operate the loader or implement hydraulics.

The **Comfort Control** dial enables the rate of clutch engagement to be adjusted to suit different needs and applications.

Speedmatching automatically selects the right powershift speed. It is activated whenever it's needed using this switch, located on the right-hand console.

The **Brake-to-Neutral option** simultaneously operates the clutch as soon as the brake pedal is pressed. This superb control greatly enhances loader operations, allowing operators to use just one pedal to brake and de-clutch at the same time.

POWER ANY
IMPLEMENT
FOR ANY
APPLICATION

The rugged and versatile MF 4700 M Series is designed to deliver peak performance from the widest range of equipment.



“ The key to hardworking machinery is to choose a tractor that meets the requirements of modern implements and utilises them to their full potential within a wide range of applications. ”



SIMPLE AND EFFICIENT HYDRAULIC SYSTEM

A straightforward, open-centre hydraulic system is powered by two gear pumps. One provides 27 litres/min to all the internal services, while another delivers 65 litres/min to the auxiliary hydraulic functions. This also supplies the two standard auxiliary spool valves (with free flow return) for smooth operation of implement hydraulic functions, while a third spool valve is available as an option to power more demanding implements, if required.



External fender controls makes it convenient for lifting/lowering of the rear linkage when attaching or detaching rear-mounted implements (standard on cab version).



2 PTO SPEEDS

540/540E or 540/1000 rpm at the shaft.

Control is via a modern independent PTO clutch, which is electro-hydraulically engaged and 'eases' the engagement, to protect the driveline by gradually taking up the drive.

This well-proven control system combines upmost reliability with ease of use. Electronics control the rate of engagement, providing reliable, smooth, regulated and optimum engagement to match the engine speed and the size of the implement.

As well as activating the PTO, the three-position switch also has an off position, in which the shaft can be turned, as well as a 'braked on' that prevents it moving during transport.



Up to **3** spool valves
2 valves as standard, with a 3rd as an option.



Up to **3,000 KG**

Enables it to lift and support heavy-mounted equipment with ease. It comes with Electronic Linkage Control (ELC) as standard, providing precise position and draft controls. ELC provides accurate and responsive operation to perfectly maintain the working depth for soil engaging implements, as well as the position of other mounted implements.

Electronic control reacts immediately, responding quickly to maintain maximum traction at all times – minimising wheel-slip and fuel consumption.

Advanced options provide extra useful functions including rate-of-drop adjustment, maximum height setting, linkage suspension and quick soil engagement.

OPERATE YOUR LOADER THE MASSEY FERGUSON WAY

All MF 4700 M Series tractors can be ordered equipped ready for mounting a Massey Ferguson MF FL or FLX Series loader. Designed for maximum manoeuvrability and easy maintenance access, the subframe forms an integral part of the machine.



| MODEL | NON SELF LEVELLING | | | SELF LEVELLING | | | |
|---|--------------------|----------|---------|----------------|---------|---------|-------|
| | FL.3419X | FL.3721X | FL.3522 | FL.3416X | FL.3615 | FL.3817 | |
| Maximum lift height - measured at pivot pin | m | 3.4 | 3.7 | 3.55 | 3.4 | 3.55 | 3.8 |
| Maximum dump angle at maximum height | deg | 50 | 49 | 48 | 50 | 58 | 53 |
| Maximum rollback angle at ground level | deg | 44 | 42 | 42 | 44 | 48 | 50 |
| Lift capacity to maximum height - 800 mm pivot pin | kg | 970 | 1,010 | 1,250 | 1,520 | 1,550 | 1,730 |
| Lift capacity to 1.5 m height - 800 mm pivot pin | kg | 1,370 | 1,520 | 1,650 | 1,560 | 1,570 | 1,740 |
| Breakout force - 800 mm pivot pin | kg | 1,600 | 1,770 | 1,790 | 1,660 | 1,630 | 1,740 |
| Rollback force at ground level - 800mm from pivot pin | kg | 1,910 | 2,300 | 2,430 | 1,890 | 2,390 | 3,380 |
| Digging depth | mm | 150 | 150 | 160 | 150 | 160 | 152 |

THE PERFECT LOADER PARTNER

- ▶ Operators benefit from superb visibility thanks to the slim bonnet and dash profiles
- ▶ Straightforward and easy control is ensured using the joystick, which is also specifically designed for use with these tractors
- ▶ Powershuttle (option) provides pedal-free, effortless direction changes. Standard Comfort Control allows operators to set its response – slow and smooth – or fast and efficient
- ▶ Brake to Neutral allows you to engage neutral whenever the brakes are depressed. By using only one pedal to brake and de-clutch at the same time, loader operations are enhanced and made easier for you.
- ▶ Visio Roof option allows you to continue to see the load throughout the lifting range: it provides perfect visibility when stacking bales or loading trailers. The glass panel includes a sun blind that can be closed or slid open into the roof. The roof is fully FOPS (Falling Object Protection) compliant providing complete safety for the operator, preventing harm from falling objects.



LOADER JOYSTICK



LOADER OPERATION

Joystick main functions:

- A. Lift
- B. Lower
- C. Fill
- D. Dump
- E. 3rd function
- F. Loader suspension



MADE TO MAXIMISE UPTIME

ENHANCED TRACTOR
OWNERSHIP EXPERIENCE &
COMPLETE PEACE OF MIND



FIX YOUR COSTS AND GUARANTEE OPTIMUM PERFORMANCE FOR YOUR MF 4700 M WITH MF CARE.

MF Care Service and extended warranty contracts are flexible to suit your payment and operating hours requirements. Regular servicing provides preventive maintenance – picking up any faults before they become a problem, which helps reduce downtime. A full dealer service history using genuine AGCO Parts will also increase the residual value of the machine.

- ▶ Support maximum residual value of your tractor
- ▶ Flexible terms and long-term price packages
- ▶ Available up to 12 months from registration
- ▶ Experienced MF technicians available for on or off-site servicing

“ Uptime is critical for my business efficiency ”

| | SILVER | GOLD |
|----------------------|---|---|
| DETAILS | REGULAR MAINTENANCE CONTRACTS The Service Package includes all prescribed maintenance work on the basis of fixed prices. | REPAIR CONTRACTS Extended warranty contracts which offer security against repair costs (except wear). Tariffs with or without excess available as an option. |
| MACHINE TYPE | All | All |
| REGULAR MAINTENANCE* | YES | YES |
| REPAIR COST | NO | YES |
| DEDUCTIBLE | NO | Option: €0, €190, €490 |

*the list price stated by AGCO refers solely to the extended warranty and doesn't include maintenance.

MASSEY FERGUSON OFFERS A COMPREHENSIVE AND EFFICIENT RANGE OF SERVICES

- 6,000 hrs 5 years
- 3,000 hrs 5 years
- 50,000 bales 5 years
- 6,000 hrs 5 years
- 2,000 hrs 3 years (ISOBUS compatible machines only)
- 25,000 bales 3 years



MASSEY FERGUSON 24/7 CUSTOMER HOTLINE

Your Massey Ferguson dealers are always by your side to make sure your Massey Ferguson Machine is Always Running.

In case you need any support on your machine simply call your certified service centre 24/7 on the emergency hotline. Service available in Denmark, France, Germany, Italy, Norway, Poland, Spain, UK and Ireland.

24/7 HOTLINE +800 8700 365 7



PARTS & SERVICE

IT'S ALL ABOUT A LIFETIME OF SUPPORT

Buying, owning and maintaining farm machinery can be complex, so having absolute peace of mind that you have great back-up and support is a hugely important consideration. As a Massey Ferguson customer you are assured of personalised, responsive and friendly support from our network of expert dealers who truly understand your business.

There's no cut-off time for Parts and Service because a machine may be out of service. We're available to you throughout your ownership of your Massey Ferguson machine.

We take great pride and responsibility in every machine we sell and we make it our mission to keep your machinery running reliably, every time you turn the key.

“ I want daily maintenance to be quick and easy so I can spend more time with my family. ”

THE MF 4700 M HAS BEEN DESIGNED TO PROVIDE FAST, STRAIGHTFORWARD, EASY AND COST-EFFECTIVE ROUTINE MAINTENANCE.

We have combined practicality with style to ensure daily maintenance is speedy, straightforward and simple, taking the stress out of maintaining your tractor, getting you to the field earlier for greater productivity and giving you some free time. With a Massey Ferguson MF 4700 M Series tractor, time spent in the yard preparing for the day ahead is kept to a minimum.



Engine air filter is easy to access and clean.



Front axle and slim waist bonnet design make oil dipstick and filter access easy.

OPTIONS & ACCESSORIES

Today's farming demands machinery that is optimised to your business. Designed to tailor your Massey Ferguson machine to your needs, we offer a wide range of options and accessories – from loaders, weights, extra spool valves and hydraulic flowrates. For your ultimate comfort there are seat upgrades, sound systems, drinks coolers and much more.

Everything we offer has been scrutinised by our engineers from all perspectives – optimum compatibility with your machine, safety, durability and performance. You'll get expert service from your Massey Ferguson dealer who has all the necessary installation tools and knowledge at their fingertips.



Easy access to remove the cab air filter for cleaning.



Cooling package is easily accessible to make cleaning faster and easier.


MFservices

ALWAYS BY YOUR SIDE TO INCREASE YOUR **PROFIT AND EFFICIENCY**

WELCOME TO MF SERVICES – EVERYTHING YOU NEED TO SUPPORT THE OPERATION OF YOUR MF 4700 M TRACTOR.

Accessible and adaptable, MF Services will help you control running costs, budgeting and business planning - ensuring each machine's operating hour is a success and giving you the freedom to focus fully on the core business of farming.

This comprehensive suite of service-related-products makes it easier than ever to own and operate Massey Ferguson farm equipment.



MASSEY FERGUSON DEALER NETWORK

Your MF dealer represents the best farm machines expertise in your area. You can always turn to your dealer and receive the best service from sales, maintenance, repair and spare parts to the purchase of a new piece of equipment.

MORE THAN 4,700 SERVICE & REPAIR POINTS WORLDWIDE




MASSEY FERGUSON GENUINE PARTS

REPRESENTS THE BEST GUARANTEE OF SAFEGUARDING THE VALUE OF YOUR NEW MF 4700 M OVER TIME, PROTECTING IT FROM UNPLANNED DOWNTIME.

Choose from an extensive range of accessories including lubricants, AdBlue, care kits, cab accessories and much more. All accessories are available for purchase exclusively from your MF dealer.

Using the smartphone app "AGCO Parts Books to go", you can find MF spare parts quickly and easily and order them directly. The app is available for download in the App Store and in the Google Play Store. Your personal access data is available from your MF dealer.



AGCO FINANCE

PROVIDES THE PERFECT FINANCING ARRANGEMENT FOR YOUR BUSINESS.

AGCO Finance is the integrated financial services arm of Massey Ferguson offering tailor-made solutions to your own farm, which includes Leasing, Loan facilities, Hire purchase, Full service packages and Contract hire including the financing of MF Care extended warranty contracts.



MASSEY FERGUSON COLLECTION

NOW YOU CAN LOOK AS STYLISH AS YOUR MASSEY FERGUSON.

Looking for a cap to match your MF 4700 M, or a stylish and durable overall to keep working? We have an exclusive range of high quality products to suit you, your farming activity, your family and your lifestyle.

To find out what we have available please login into our online Shop:

Shop.MasseyFerguson.Com

For the above support packages, country terms and conditions apply. Please note all packages may not be available in all markets.

Please check with your local MF Dealer/Distributor.

| | PLATFORM VERSION | | CAB VERSION | | | |
|-----------------------------------|--|---|---|-----------------------------------|-----------------------------------|-----|
| | MF 4708 M/ MF 4708 M Dyna-2 | MF 4709 M/ MF 4709 M Dyna-2 | MF 4708 M/ MF 4708 M Dyna-2 | MF 4709 M/ MF 4709 M Dyna-2 | MF 4710 M/ MF 4710 M Dyna-2 | |
| Engine Performance | | | | | | |
| Max hp power @ 2000rpm | ✚ ISO hp | 82 | 92 | 82 | 92 | 100 |
| Max torque @ 1500rpm | Nm | 350 | 355 | 347 | 355 | 365 |
| Engine | | | | | | |
| Type/Capacity/no. of Cylinders | AGCO POWER 3.3 Litre, 3 cylinders | | | | | |
| Technology | Electronic injection, Common rail, 4 valves per cylinder, DOC + SCR + SC | | | | | |
| Transmission | | | | | | |
| Type | 12 x 12 Fully synchronised – 6 Gears x 2 Ranges | | | | | |
| Optional Dyna-2 (4WD only) | 24 x 24 Fully synchronised – 2 Powershift – 6 Gears x 2 Ranges | | | | | |
| Shuttle | 12 x 12 Mechanical synchronised / Dyna-2: Powershuttle (Comfort Control) | | | | | |
| Optional shuttle | 12 x 12 Powershuttle (Comfort Control) | | | | | |
| Optional clutch | Brake To Neutral | | | | | |
| Min Speed @ 1400rpm | km/h | 1.42 | | | | |
| Optional creeper gears | 12x12 / 24 x 24 / Dyna-2: 48 x 48 | | | | | |
| Min Speed @ 1400rpm* with creeper | km/h | 0.11 | | | | |
| Power Take-off | | | | | | |
| Operation and control | Independent/Electro hydraulic control | | | | | |
| PTO speed @ engine rpm | 540/540E | 1,560 | | | | |
| PTO speed @ engine rpm | 540 & 1000 | 1,920/1,964 | | | | |
| PTO shaft | | | | | | |
| Standard | 6 splines | | | | | |
| Optional | 6 & 21 splines (when 1000rpm as option) | | | | | |
| Hydraulics | | | | | | |
| Auxiliary oil flow | litres/min | 65 l/min supplying spool valves and linkage | | | | |
| Max pressure | Bar | 200 | | | | |
| Rear linkage | | | | | | |
| Maximum lift capacity | kg | 3,000 | | | | |
| Lower links | Hook ends (cat 2) | | | | | |
| Brakes | | | | | | |
| Type | Electro hydraulic / Oil cooled | | | | | |
| Rear tyres | | | | | | |
| Optional | 420/85 R 30 (2WD & 4WD) | 420/85 R34 (2WD) /460/85 R30 (4WD) | 420/85 R 34 | | | |
| Standard | 340/85 R38 - 420/85 R 34 - 460/85 R30 (4WD only) | 340/85 R38 - 420/85 R30 | 340/85 R38 - 420/85 R30 - 460/85 R30 | | | |
| Capacities | | | | | | |
| Fuel tank capacity | litres | 105 | | 125 | | |
| AdBlue® tank capacity | litres | 13 | | 14.5 | | |
| Weight | | | | | | |
| 2WD** | kg | 2,950*** | | 3,750*** | | |
| 4WD** | kg | 3,150 | | 3,950 | | |


* Manufacturer's testing ** Depends on options ✚ ISO TR14396 *** 2WD not available on Dyna-2 Models



| | MF 4700 M | MF 4700 M | | MF 4700 M | MF 4700 M |
|--|-----------|-------------|---|-----------|-------------|
| | Platform | Cab version | | Platform | Cab version |
| Engine | | | | | |
| AGCO POWER 3 cylinders, Turbo, Common rail | ● | ● | Hydraulics | | |
| Memorised engine speed | ● | ● | Independent auxiliary pump | | |
| Transmission | | | | | |
| Mechanical 12x12 | ● | ● | 2 Mechanical spool valves | | |
| Dyna-2 24x24 | - | ○ | 3 Mechanical spool valves | | |
| Powershuttle | ○ | ○ | Lever linkage control (intermix) | | |
| Comfort Control | ○ | ○ | Advanced linkage control (intermix / max height / quick soil engagement / shock absorber) | | |
| Declutch control on transmission lever | ● | ● | Linkage control on fender, left hand side | | |
| AutoDrive & Brake to neutral | - | ○ | Linkage control on fenders, both sides | | |
| Creeper | ○ | ○ | PTO | | |
| Cab/Platform | | | | | |
| Isolated semi platform | ● | - | Independent PTO | | |
| Large cab low position (2 doors easy access) | - | ● | Electro hydraulic PTO clutch | | |
| Fenders extensions | ○ | ○ | External PTO speed selection | | |
| Air conditioning | - | ○ | In cab PTO speed selection | | |
| High vis roof for loader operation | - | ○ | 540 | | |
| Fixed steering column | ● | - | 540/540 E | | |
| Tilt Steering Column | ○ | ● | Front axle | | |
| Dual Adjustment Steering Column (Tilting & Telescopic) | - | ○ | 4WD | | |
| Mechanical seat | ● | ● | 2WD | | |
| Pneumatic seat | - | ○ | Electro hydraulic diff lock | | |
| Passenger seat | - | ○ | Pivoting front fenders | | |
| Radio/ CD / MP3/ Front Aux-in | - | ○ | Additional equipment | | |
| Roof worklights (front & rear) | - | ● | Hydraulic trailer brake (dual line) | | |
| Additional handrail worklights | ○ | ○ | Pneumatic trailer brake (dual line) | | |
| 2 rear view mirrors | - | ● | Pneumatic trailer brake (dual line) + Hydraulic line | | |
| Advanced performance monitor | ● | ● | Isolator switch | | |
| Toolbox | ● | ● | | | |

● Standard specification
○ Optional
- Not available


MF 4700 M Platform



| MF 4707 M / MF 4708 M / MF 4709 M | |
|--|----------------|
| 4 Wheel Drive | |
| A – Overall length from front weight frame to rear linkage arms - mm | 4,067 |
| B – Wheelbase - mm | 2,250 |
| Turning circle* - external diameter, less brakes - m | 7.70 |
| C – Height to top of canopy | 2,594 |
| D – Width (min/max) - mm | 1,795 to 2,587 |
| E – Maximum ground clearance - mm | 460 |

* Depends on settings ** Standard configuration including fuel and driver (75 kg)

MF 4700 M



| MF 4707 M / MF 4708 M / MF 4709 M | |
|--|----------------|
| 4 Wheel Drive | |
| A – Overall length from front weight frame to rear linkage arms - mm | 4,067 |
| B – Wheelbase - mm | 2,250 |
| Turning circle* - external diameter, less brakes - m | 7.70 |
| C – Height to top of Standard roof, with 16.9 R 34 tyres | 2,550 |
| C – Height to top of Visio roof, with 16.9 R 34 tyres | 2,550 |
| D – Width (min/max) - mm | 1,795 to 2,587 |
| E – Maximum ground clearance - mm | 460 |

Every effort has been made to ensure that the information contained in this publication is as accurate and current as possible. However, inaccuracies, errors or omissions may occur and details of the specifications may be changed at any time without notice. Therefore, all specifications should be confirmed with your Massey Ferguson Dealer or Distributor prior to any purchase.



www.MasseyFerguson.co.uk

www.facebook.com/masseyfergusonUK

[Twitter.com/MF_EAME](https://twitter.com/MF_EAME)

[Instagram.com/MasseyFergusonGlobal](https://www.instagram.com/MasseyFergusonGlobal)

www.YouTube.com/MasseyFergusonGlobal



MASSEY FERGUSON® is a worldwide brand of AGCO.
© AGCO SAS. 2021 | A-A-17336 | English



MASSEY FERGUSON